## IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) An electric stapler comprising:

a driver unit including a driver and driver lifting means;

a clincher opposed to the driver, wherein sheets of paper are pinched between the

driver unit and the clincher, a staple is injected by driving the driver and the sheets are bound by

the clincher's folding of leg portions of the staple;

two recess grooves formed at on the driver unit two contiguous portions of to a

staple injecting port of the driver unit;

a press blade provided on a side of the clincher, wherein the press blade fits the

recess grooves; and

a press blade lifting means,

wherein a fold line is formed by pressing the sheets between the press blade and

the recess grooves by driving the press blade after binding the sheets.

2. (Previously Presented) The electric stapler according to claim 1, wherein the

sheets are clamped by the press blade and the driver unit by driving the press blade before

binding the sheets and the press blade is further driven after binding the sheets to form the fold

line by pressing the sheets between the press blade and the recess grooves.

3. (Original) The electric stapler according to claim 1, further comprising switching

means for switching ON and OFF an operation of the press blade lifting means.

ATTORNEY DOCKET NO.: 040894-7153

Application No.: 10/519,103

Page 3

4. (Currently Amended) An electric stapler comprising:

a driver unit including a driver and a staple injecting port;

a clincher opposed to the driver, wherein sheets of paper are pinched between the driver unit and the clincher, a staple is injected by the driver and the sheets are bound by the clincher's folding of leg portions of the staple;

<u>two</u> recess grooves formed on the driver unit at two contiguous portions of to the staple injecting port; and

a press blade provided on the clincher, wherein the press blade is liftable to fit with the recess grooves,

wherein a fold line is formed on the sheets by pressing the sheets between the press blade and the recess grooves by lifting the press blade.

- 5. (Previously Presented) The electric stapler according to claim 4, wherein the press blade is lifted to pinch the sheets when the staple is injected, and wherein the press blade is further lifted when the fold line is formed on the sheets.
- 6. (Currently Amended) A method for binding sheets of paper and forming a fold line on the sheets comprising:

pinching sheets of paper between a driver unit and a clincher; injecting a staple by a driver from a staple injecting port on the driver unit; bending leg portions of the staple by the clincher;

ATTORNEY DOCKET NO.: 040894-7153

Application No.: 10/519,103

Page 4

lifting a press blade provided on the clincher to fit with <u>two</u> recess grooves formed on the driver unit at two contiguous <del>portions of</del> <u>to</u> the staple injecting port; forming a fold line on the sheets.

- 7. (Previously Presented) The method according to claim 6, wherein, when the sheets of paper are pinched between the driver unit and the clincher, the sheets are clamped by the press blade and the driver unit.
- 8. (Previously Presented) The electric stapler according to claim 1, wherein the recess grooves integrally move with the staple injecting port.
- 9. (Previously Presented) The electric stapler according to claim 4, wherein the recess grooves integrally move with the staple injecting port.